

# SOLAR MD STORAGE PRODUCTS



## SOLAR MD 7.4kWh SS4074 ADVANCED LITHIUM-ION BATTERY

The SS4074 uses Lithium Iron Phosphate cells for its streamlined energy storage.


The flexible modular design enables it to be set up with multiple batteries.

Capacity can be increased through a parallel connection of the batteries.

### APPLICATIONS

- ✓ Grid tied, off-grid and hybrid inverter and charger systems
- ✓ Residential and commercial UPS systems

Derating in kWh based on usage of 2.5MWh / year



Guarantee on Product Material and Workmanship



Energy Output Warranty



E-Mail: [info@solarmd.co.za](mailto:info@solarmd.co.za)

Phone: +27 (0)21 555 2181

Web: [www.solarmd.com](http://www.solarmd.com)

Address: Unit 23, Alternator Park, 7 Alternator Avenue, Montague Gardens, 7441 Cape Town, South Africa

# SOLAR MD STORAGE PRODUCTS



## SS4074

SS4074 has been widely used in energy storage applications in the African market. The battery is produced with the world-leading CALB LiFePO4 technology.

## BATTERY FEATURES

- ✓ Stable discharge platform
- ✓ Excellent safety
- ✓ Long life cycle
- ✓ High temperature performance
- ✓ High energy density
- ✓ High charge and discharge rate
- ✓ High efficiency
- ✓ No pollution

| SS4074-11                   |                                  |
|-----------------------------|----------------------------------|
| Cell chemistry              | Lithium Iron Phosphate (LiFePO4) |
| Cell manufacturer           | CALB                             |
| Rated capacity              | 8.0kWh                           |
| Nominal Power               | 5.0kW                            |
| Usable Battery Energy @0.3C | 7.4kWh                           |
| Nominal Voltage             | 51.2V                            |
| Number of battery modules   | 1                                |
| Weight per module           | 76kg                             |
| Operational Voltage         | 44.8 - 55.6Vdc                   |
| Communication               | CANBUS / RS485                   |
| Dimensions W x D x H        | 640mm x 200mm x 630mm            |
| Cycle life @25°C            | ≥4000                            |
| Charging Efficiency         | 99%                              |
| Operational temperature     | 0°C to +50°C                     |
| Transport                   | UN3480 & UN38.3                  |
| Storage duration            | 6 months @25°C                   |
| Safety standard compliance  | IEC 62619 / UN38.3 / UL1642      |
| Cell certificate            | TUV / CE / RCM / UL1642          |



✉ **E-Mail:** [info@solarmd.co.za](mailto:info@solarmd.co.za)

☎ **Phone:** +27 (0)21 555 2181

🌐 **Web:** [www.solarmd.com](http://www.solarmd.com)

📍 **Address:** Unit 23, Alternator Park, 7 Alternator Avenue, Montague Gardens, 7441 Cape Town, South Africa